## UNITED STATES BANKRUPTCY COURT EASTERN DISTRICT OF LOUISIANA

-----X

In re : Chapter 11 Case No.

: 06-10179 (B)

OCA, INC., et al.,

: Jointly Administered

Debtors. :

## ORDER ON MOTION TO LIFT STAY

This matter came on for hearing on October 11, 2006, at 2:00 p.m. on the Limited Motion of Dudley M. Hodgkins, DDS, MSD, and Dudley M. Hodgkins, DDS, MSD, PC for Relief from the Automatic Stay [**P-1615**] filed on August 25, 2006 (the "Motion"), and the Court after considering the law and the evidence, including the argument of counsel, and finding the same are in favor of Debtors, for reasons orally assigned, accordingly;

**IT IS HEREBY ORDERED** that the Motion is DENIED.

New Orleans, Louisiana, October 17, 2006.

Jerry A. Brown

U.S. Bankruptcy Judge

## BAE SYSTEMS

Bankruptcy Noticing Center 2525 Network Place, 3rd Floor Herndon, Virginia 20171-3514

## CERTIFICATE OF SERVICE

District/off: 053L-2 Case: 06-10179

NONE.

User: kl Form ID: pdf800 Page 1 of 1 Total Served: 1 Date Rcvd: Oct 17, 2006

The following entities were served by first class mail on Oct 19, 2006. db + OCA, Inc. et al, 3850 North Causeway Blvd., Suite 800,

Metairie, LA 70002-8133

TOTAL: 0

\*\*\*\*\* BYPASSED RECIPIENTS \*\*\*\*\*

TOTAL: 0

Addresses marked '+' were corrected by inserting the ZIP or replacing an incorrect ZIP. USPS regulations require that automation-compatible mail display the correct ZIP.

I, Joseph Speetjens, declare under the penalty of perjury that I have served the attached document on the above listed entities in the manner shown, and prepared the Certificate of Service and that it is true and correct to the best of my information and belief.

First Meeting of Creditor Notices only (Official Form 9): Pursuant to Fed. R. Bank. P. 2002(a)(1), a notice containing the complete Social Security Number (SSN) of the debtor(s) was furnished to all parties listed. This official court copy contains the redacted SSN as required by the bankruptcy rules and the Judiciary's privacy policies.

Date: Oct 19, 2006 Sig

Joseph Spertjens